SPK 8500

SANY PALFINGER

COMPACT SOLUTION FOR 2 AXLE TRUCKS

7.6 mt
Max. Lifting Moment

7.6 m
Max. Outreach

SPK 8500

SPK 8500 (Std.)



SPK 8500 (A)



DIMENSIONS





TECHNICAL SPECIFICATIONS (EN 12999 H1-B3)

Max. Lifting Moment	mt	7.6
Max. Lifting Capacity	kg	3300
Max. Hydraulic Outreach	m	5.7 (Std.) / 7.6 (A)
Slewing Angle	°	400
Slewing Torque	mt	0.9
Stabilizer Spread	m	4.87 (R2 / R2X)
Fitting Space Required (std.)	m	0.66
Width Folded	m	2.295
Operating Pressure	bar	315
Recommended Pump Capacity	l/min	25 - 35
Dead Weight (std.)	kg	920

HD Paint protected *

* Optional features / country-specific equipment

- Equipped with load holding valves for safe crane operations
- High speed boom extension and retraction with Return Oil Utilization
- Optimized lifting performance with the use of high tensile steel and hexagonal boom design
- Lightweight yet robust construction according to European standards (EN 12999)
- Optional Overload Protection System and Emergency Stop Button
- Professional installation solutions with the use of Palsoft programme
- Suitable for installation on 2-axle trucks

SERVICE

WE ARE ALWAYS HERE FOR YOU

PROJECT ENGINEERING



The use of PALSOFT and other selected softwares allows us to address the requests of our clientele from subframe design to stability calculations, and deliver the best vehicle integration solutions.

TECHNICAL SUPPORT

Service is PALFINGER's top priority. Your products are overseen by our highly trained and professional service department either in person or via phone and email.

TRAINING

Here at PALFINGER, we offer a multitude of training programmes (Basic Hydraulic Course, Commissioning, etc.) to cover the needs of all our clientele. Certified trainers will conduct these programmes and training documents can be obtained after completion.

GENUINE SPARE PARTS

Our global distributor network provides an efficient local service for all our customers. Backed by PALFINGER's expert recommendation, we ensure the optimal spare part choices for your cranes.

Authorized Dealer:

Asia Pacific Distribution Managed By:

PALFINGER ASIA PACIFIC PTE LTD

3 INTERNATIONAL BUSINESS PARK | NORDIC EUROPEAN CENTRE | # 05-25/26 | 609927 | SINGAPORE | **T** +65 6591 9191 | **F** +65 6591 7737

asia@palfinger.com | www.palfinger.com

Applications shown in the leaflet do not always correspond to the standard specifications.
Design and specification are subject to change without prior notice. Dimensions may vary. Subject to technical changes, errors and translation mistakes.

SPK8500,03/16